

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Inspection of immigrants at San Juan during the week ended May 18, 1901.

SAN JUAN, P. R., May 21, 1901.

SIR: I submit herewith report of alien steerage passengers arriving at this port during the week ended May 18, 1901:

Date.	Vessel.	Where from.	No. of immigrants,
May 16 May 17	French steamship St. Simon	St. Marc, Haiti, and St. Domingo	4 5
	Total		9

Respectfully,

H. S. MATHEWSON,

Passed Assistant Surgeon, U. S. M. H. S., Chief Quarantine Officer for Porto Rico.

The Surgeon General, U. S. Marine-Hospital Service.

Inspection of immigrants at Mayaguez during the week ended May 18, 1901.

SAN JUAN, P. R., May 21, 1901.

SIR: I submit herewith report of alien steerage passengers arriving during the week ended May 18, 1901, at subports of Porto Rico:

Date.	Vessel.	Where from.	No. of immigrants.
May 13 May 18	Dutch schooner Corazon de Maria French steamship St. Domingue	Curacao, Danish West Indies Port-au-Prince, Jeremie, Les Cayex, Jac- mel, St. Domingo, St. Domingo.	1 15
Do	Provisional flag steamship Julia	Havana. Nuevitas, Gibara, Baracoa, Santiago, St. Domingo, Macoris, and Ponce,	6
	Total	Р. К.	22

H. S. MATHEWSON,

Passed Assistant Surgeon, U. S. M. H. S., Chief Quarantine Officer for Porto Rico.

The Surgeon-General,

U. S. Marine-Hospital Service.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

AFRICA—Sierra Leone.—Two weeks ended April 26, 1901. Estimated population, 35,000. Total number of deaths, 32. No contagious or infectious diseases.

BRAZIL—Rio de Janeiro.—Two weeks ended April 15, 1901. Estimated population, 793,000. Total number of deaths, 603, including enteric fever, 1; smallpox, 5; yellow fever, 31; beriberi, 6, and 101 from tuberculosis.

CUBA—Havana.—Month of April, 1901. Census population, 254,444. Total number of deaths, 565, including enteric fever, 10; whooping cough, 1, and 86 from tuberculosis.

FRANCE—Marseilles.—Month of April, 1901. Estimated population, 447,344. Total number of deaths, 878, including diphtheria, 4; scarlet fever, 1, and 9 from smallpox.

1299 June 7,1901

GREAT BRITAIN—England and Wales.—The deaths registered in 33 great towns in England and Wales during the week ended May 11, 1901, correspond to an annual rate of 16.5 per 1,000 of the aggregate population, which is estimated at 11,463,187. The highest rate was recorded in Brighton, viz, 22.3, and the lowest in Croydon, viz, 7.7.

London.—One thousand three hundred and eighty six deaths were registered during the week, including measles, 38; scarlet fever, 17; diphtheria, 23; whooping cough, 45; enteric fever, 7, and diarrhea and dysentery, 9. The deaths from all causes correspond to an annual rate of 15.9 per 1,000. In Greater London 1,816 deaths were registered, corresponding to an annual rate of 14.3 per 1,000 of the population. In the "outer ring" the deaths included 10 from diphtheria, 12 from measles, and 16 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended May 11, 1901, in the 22 principal town districts of Ireland was 22.6 per 1,000 of the population, which is estimated at 1,058,722. The lowest rate was recorded in Carrickfergus, viz, 0.0, and the highest in Galway, viz, 64.2 per 1,000. In Dublin and suburbs 189 deaths were registered, including diphtheria, 1; enteric fever, 1; measles, 1; scarlet fever, 2, and 7 from whooping cough.

Scotland.—The deaths registered in 8 principal towns during the week ended May 11, 1901, correspond to an annual rate of 21.2 per 1,000 of the population, which is estimated at 1,630,155. The lowest mortality was recorded in Aberdeen, viz, 12.0, and the highest in Dundee, viz, 22.8 per 1,000. The aggregate number of deaths registered from all causes was 606, including diphtheria, 4; measles, 17; scarlet fever, 8; smallpox, 1, and 49 from whooping cough.

JAPAN—Nagasaki.—Ten days ended April 30, 1901. Estimated population, 131,701. Number of deaths not reported. No infectious or contagious diseases prevailing.

JAVA—Batavia.—Two weeks ended April 13, 1901. Estimated population, 150,000. Number of deaths not reported. No epidemic or contagious diseases.

MALTA.—Week ended March 4, 1901. Estimated population, 181,698. Total number of deaths, 88. No deaths from contagious diseases.

MEXICO—Matamoras.—Two weeks ended May 11, 1901. Estimated population, 18,266. Total number of deaths, 28. No deaths from contagious diseases.

SPAIN—Cadiz.—Month of April, 1901. Estimated population, 67,987. Total number of deaths, 196, including 1 death from enteric fever and 40 deaths from tuberculosis.

Malaga.—Two weeks ended April 30, 1901. Estimated population, 133,000. Total number of deaths, 176, including enteric fever, 1, and 1 from smallpox.

Two weeks ended May 11, 1901. Total number of deaths, 263, including enteric fever, 4, and 2 from smallpox.

St. Helena.—Three weeks ended April 27, 1901. Estimated population, 4,270. Total number of deaths, 13, including 2 from enteric fever and 2 from tuberculosis.